



WORLD LEADER IN CATTLE TUBULAR

Dealer :



**MADE IN
FRANCE**

www.jourdain.fr



JOIN JOURDAIN'S DYNAMIC

VERSION FEBRUARY 2014


CATALOGUE N° 29





ROUND BALE FEED RACK



NO SHARP CORNER



Strengthened Feston



Strengthened 3-point hitch

Reinforcement with interior counter-folder

P.T.F. ROUND BALE FEED RACK



NO SHARP CORNER

P.T.O. ROUND BALE FEED RACK

Tilting roof for supplying



ADAPTABLE ROOF FOR P.T.F. and P.T.O.

P.T.F. - P.T.O.



P.T.F. ROUND BALE FEED RACK

12 head passages in feston for horned cattle. Made in 3 parts: one can become an opening part. (See option). Pipe \varnothing 49 mm

RA0905 P.T.F. 193 kg

P.T.O. ROUND BALE FEED RACK

18 diagonal head passages. Composed of 3 pipes \varnothing 49 mm. Made in 3 parts.

RA0901 P.T.O. 150 kg

OPENING OPTION


RA0935 Adaptation plate for opening part,
3 pairs for 1 feed rack (**the pair**) 2,6 kg

ADAPTABLE ROOF

Tubular framework with first class galvanized corrugated iron sheet of 2,25 m (7 ft 60), thickness 63/100.

RA0902 Adaptable roof tilting for supplying 70 kg





4 FACES FEED RACK



Strengthened by
a top frame
Ø 60 mm

Feed rack
for long-horned cattle
Pipe Ø 60 mm



Double
anti-cut interior
counter-folder

4 FACES TYPE FESTONS



4 FACES TYPE PTF



12 headlocks SAFETY® III
with automatic return of
the swing arms

Adjustable
collar width

Frame
Ø 60 mm

4 FACES TYPE SAFETY® III



Frame
Ø 60 mm

4 FACES TYPE DIAGONAL



Vertical bars type
Free-service

4 FACES CHEVAUX



Full opening on the 5 versions



FEED RACK «4 FACES» - 2 M x 2 M

- 12 head passages
- Trough thickness 20/10° strengthened with 2 important veins, and interior counter-folds on the 4 sides (anti-cut). Depth 400 mm (15,75"). Bale Ø 1 m 80.
- 1 side with OPENING SIDE OF TROUGH to facilitate the supplying and the cleaning.
- Roof with metal sheets of 2,25 m (7 ft 38) - thickness 63/100°.
- «3-points» hitch Ø 102 mm (4"), runner feet for «sliding» on a short distance. Only move the feed rack when completely empty.
- Delivered in KIT. Packaged.

RA0950	«4 FACES» TYPE FESTON	370	kg
RA0951	«4 FACES» TYPE PTF	360	kg
RA0952	«4 FACES» TYPE SAFETY® III	480	kg
RA0953	«4 FACES» TYPE LS DIAGONAL	360	kg
RA0957	«4 FACES» CHEVAUX	480	kg

RETAIL


RA0992	Side of 3 places TYPE FESTON	L= 1 m 95	31	kg
RA0996	Side of 3 places TYPE PTF	L= 1 m 95	30	kg
RA0998	Side of 3 places TYPE SAFETY® III	L= 1 m 95	60	kg
RA0994	Side of 3 places TYPE Diagonal	L= 1 m 95	27	kg
RA0912	Frame «4 FACES» without the 4 sides		240	kg
RA7020	Trough reinforcement : 2 pipes Ø 70, L= 1 m 97 (the pair)		20	kg

OPTIONS For feed rack 4 Faces


(These 3 options are standard in the feed rack 4 Faces Chevaux)

RA0975	Full protection of roof for feed rack 4 Faces	24	kg
	Composed of 2 gutters 4 Faces 2,25 m long and of 2 full protections.		
RA0977	Green bottom protection for 3-points linkage attachment	3	kg
	Composed of a green bottom protection and a pin Ø 20 mm for locking		
RA0986	Anti-passage for feed rack 4 Faces and Big Ball (8 pieces)	12,8	kg


Full protection of roof for feed rack 4 Faces and Big Ball



Anti-passage for feed rack 4 Faces and Big Ball



3-point linkage attachment protection






BIG BALL FEED RACK



Feed rack
for long horned cattle
Pipe Ø 60 mm

Strengthened by
a top frame
Ø 60 mm



Pipe
Ø 60 mm

BIG BALL TYPE FESTON

BIG BALL TYPE PTF



14 headlocks
SAFETY® III with
automatic return
of the swing arms

Adjustable
collar width

Frame
Ø 60 mm



16 head passages

BIG BALL TYPE SAFETY®

BIG BALL HORSES



Double veins, trough reinforcement and
runner feet (view from under)



Double
anti-cut interior
counter-folder



Total opening on all the versions



FEED RACK «BIG BALL» - 2 M x 3 M

- 14 head passages, 3 opening sides for 1 rectangular bale or 2 round bales upright.
- Trough thickness 20/10 strengthened with 2 important veins, and interior counter-folds on the 4 sides (anti-cut). Depth 400 mm (15,75"). Bale Ø 1 m 80.
- 1 side with OPENING SIDE OF TROUGH to facilitate the supplying and the cleaning.
- Reinforced transversaly by a support linked with the two feet runner.
- Roof with metal sheets of 2,25 m (7 ft 38) - thickness 63/100^e.
- «3-points» hitch Ø 102 mm (4"), runner feet for «sliding» on a short distance. Only move the feed rack when completely empty.
- Delivered in KIT. Packaged.

RA0960	«BIG BALL» TYPE FESTON	490	kg
RA0961	«BIG BALL» TYPE PTF	475	kg
RA0962	«BIG BALL» TYPE SAFETY®III	625	kg
RA0967	«BIG BALL» Horse version	630	kg

VOLUME FOR 4 FEED RACKS BIG BALL PACKAGED

1,60 m x 3 m 10 x 1 m 30 height.
Fully and individually packed with steel sheet roof.

RETAIL


RA0991	Side of 4 places TYPE FESTON	L= 2,77 m	47	kg
RA0995	Side of 4 places TYPE PTF	L= 2,77 m	41	kg
RA0997	Side of 4 places TYPE SAFETY®III	L= 2,77 m	84	kg
RA0947	Frame «BIG-BALL»without the 4 sides		335	kg
RA7028	Trough reinforcement : 2 pipes Ø 70 mm, L= 2,80 m, (the pair)		28	kg

OPTIONS For Feed Rack Big Ball


(These 3 options are standard in the Feed rack Big Ball Chevaux)

RA0976	Total roof protection for Feed Rack Big Ball Composed of 2 total protections.	18	kg
RA0977	Green bottom protection for 3-points linkage attachment Composed of a green protection at the bottom and of a Ø 20 mm pin for the locking.	3	kg
RA0986	Anti-passage for feed rack 4 Faces and Big Ball (8 pieces)	12,8	kg


Full protection of roof for feed rack 4 Faces and Big Ball



Anti-passage for feed rack 4 Faces and Big Ball



3-point linkage attachment protection



JOURDAIN